

# R&S® LANCOM CPE blackline Rack Mount Plus

19" mounting bracket with front-panel connectors for R&S® LANCOM gateways



For professional rack mounting of your R&S® LANCOM SD-WAN gateways in the blackline CPE housing, the R&S® LANCOM CPE blackline Rack Mount Plus is the optimal solution. The stable mount requires just a single height unit in your 19" rack and integrates elegantly into your network infrastructure. In addition, front-mounted connectors offer you easy handling and maximum convenience. Thus, you can simultaneously read the status LEDs of the installed device, as well as conveniently check the cabling and adjust it as needed.

- ▶ Rack-mounting bracket for easy mounting of R&S® LANCOM SD-WAN gateways in blackline CPE housing
- ▶ Connection ports redirected to the front make it easier to work with devices in 19" racks
- ▶ Ports: 5x Ethernet, 4x 5G, 1x ISDN, 1x fiber, 1x USB C, and 1x USB A socket
- ▶ Occupies one height unit in the 19" server rack
- ▶ Sturdy metal housing with black powder coating
- ▶ Dimensions: 48.3 cm x 4.4 cm x 26.6 cm (WxHxD)

# R&S® LANCOM CPE blackline Rack Mount Plus

## Easy mounting of R&S® LANCOM SD-WAN gateways

R&S® LANCOM SD-WAN gateways in blackline CPE housing stow space-savingly inside 19" racks with the R&S® LANCOM CPE blackline Rack Mount Plus. This way, you install the entire network in the server rack and see all of your devices at a glance.

## Flexible gateway alignment

The R&S® LANCOM CPE blackline Rack Mount Plus redirects the device ports to the front, which greatly simplifies the work with devices in a rack. There is no need to remove the device from the rack to check or change the cabling. What's more, the opening on the front of the R&S® LANCOM CPE blackline Rack Mount Plus puts the device status LEDs clearly on display. At a glance you can see whether your equipment is operating properly.

## Space-saving unit in the server rack

With the device in place, the R&S® LANCOM CPE blackline Rack Mount Plus occupies a single height unit in a 19" rack. This enables you to install the device in a single cabinet along with your other network components.

# R&S® LANCOM CPE blackline Rack Mount Plus

Scope of delivery	
<b>Mounting Kit</b>	Robust metal rack for mounting R&S® LANCOM SD-WAN gateway, 4x screws, ring washers and cage nuts for mounting the rack, 4x Ethernet, 1x WAN, 1x ISDN, 2x USB and 4x 5G/LTE cables, assembly instruction*
<b>*) Note</b>	Optical coupler not included. The rack mount is compatible with simplex SC or duplex LC couplers with screw flange.
Fit for the following R&S® LANCOM devices	
<b>Indoor</b>	All R&S® LANCOM routers in blackline CPE housing as the 180xVA series. If the permitted ambient temperature of the devices is exceeded, an active cooling or an open mounting is recommended.
Item number(s)	
<b>R&amp;S® LANCOM CPE blackline Rack Mount Plus</b>	61991

Rohde & Schwarz Networks and Cybersecurity GmbH  
 Adenauerstr. 20/B2  
 52146 Wuerselen | Germany  
[info.rs-nc@rohde-schwarz.com](mailto:info.rs-nc@rohde-schwarz.com) | [www.rohde-schwarz.com/networks-and-cybersecurity](http://www.rohde-schwarz.com/networks-and-cybersecurity)

R&S and Rohde & Schwarz are trademarks of Rohde & Schwarz GmbH & Co. KG, registered or used, among others, in Germany, the EU, the USA, China, and other countries. Other names or designations used may be registered trademarks of different companies or owners. This document contains forward-looking statements regarding products and product features. The publisher reserves the right to change these at any time without stating reasons. No liability is accepted for technical inaccuracies or omissions. 06/2026

**ROHDE & SCHWARZ**  
 Make ideas real

