


R&S® LANCOM CPE blackline Rack Mount

19" mounting bracket for R&S® LANCOM gateways in blackline housing



With the R&S® LANCOM CPE blackline Rack Mount, you can mount your R&S® LANCOM SD-WAN gateways in the blackline CPE housing in a 19" rack in a stable and professional way. In order to store your router without being noticed, just a single height unit is required in the rack. The smart installation concept also offers you maximum flexibility in terms of device orientation, as it allows installation with the device front facing both the front and the rear. This allows either the front status LEDs to be read in the installed state or, alternatively, the rear interfaces to be reached conveniently.

- ▶ Rack-mounting bracket for easy mounting of R&S® LANCOM SD-WAN gateways in blackline CPE housing
- ▶ Front or rear mounting possible
- ▶ Occupies one height unit in the 19" server rack
- ▶ Sturdy metal housing with black powder coating
- ▶ Dimensions: 48.3 cm x 4.4 cm x 26.6 cm (WxHxD)

R&S® LANCOM CPE blackline Rack Mount

Easy mounting of R&S® LANCOM SD-WAN gateways

R&S® LANCOM SD-WAN gateways in blackline CPE housing stow space-savingly inside 19" racks with the R&S® LANCOM CPE blackline Rack Mount. This way, you install the entire network in the server rack and see all of your devices at a glance.

Flexible gateway alignment

The R&S® LANCOM CPE blackline Rack Mount offers you maximum freedom for your device orientation: You can either install your router with the front of the device facing forward so that you can always keep an eye on the status LEDs, or you can choose to install it at the rear so that you can easily reach the interfaces.

Space-saving unit in the server rack

With the device in place, the R&S® LANCOM CPE blackline Rack Mount occupies a single height unit in a 19" rack. This enables you to install the device in a single cabinet along with your other network components.

R&S® LANCOM CPE blackline Rack Mount

Scope of delivery

Mounting Kit Robust metal rack for mounting R&S® LANCOM SD-WAN gateway, 4x screws, ring washers and cage nuts for mounting the rack, assembly instruction

Fit for the following R&S® LANCOM devices

Indoor All R&S® LANCOM routers in blackline CPE housing as the 180xVA series. If the permitted ambient temperature of the devices is exceeded, an active cooling or an open mounting is recommended.

Item number(s)

R&S® LANCOM CPE blackline Rack Mount 61990

Rohde & Schwarz Networks and Cybersecurity GmbH
Adenauerstr. 20/B2
52146 Wuerselen | Germany
info.rs-nc@rohde-schwarz.com | www.rohde-schwarz.com/networks-and-cybersecurity

R&S and Rohde & Schwarz are trademarks of Rohde & Schwarz GmbH & Co. KG, registered or used, among others, in Germany, the EU, the USA, China, and other countries. Other names or designations used may be registered trademarks of different companies or owners. This document contains forward-looking statements regarding products and product features. The publisher reserves the right to change these at any time without stating reasons. No liability is accepted for technical inaccuracies or omissions. 06/2026

ROHDE & SCHWARZ
Make ideas real

