

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

Network security for small & medium enterprises (SME)



Cyber attacks no longer stop at smaller companies and medium-sized businesses. Whether it's small or home offices, medical practices, or law firms: multi-layered, trusted protection against threats of all kinds is essential, even for smaller networks. Stay one step ahead of threats with the desktop models of the next-generation firewalls (NGFW) including Unified Threat Management (UTM) and the „One-Click Security“ concept in combination with the R&S®LANCOM Management Cloud – and all this in an uncomplicated, budget-friendly way, tailored to your requirements. All R&S®LANCOM Unified Firewalls are developed in Germany.

- ▶ Next-generation IT security through UTM „engineered in Germany“ for protection against spam, viruses and malware as well as cyber attacks
- ▶ State-of-the-art security techniques such as R&S®PACE2 Deep Packet Inspection and SSL Inspection
- ▶ Preventive security against as yet unknown threats through integrated Sandboxing and Machine Learning
- ▶ Custom application and filter rules for increased security via Application Management and Content Filter
- ▶ Convenient [firewall management](#) via intuitive Web interface or R&S®LANCOM Management Cloud
- ▶ R&S®LANCOM [Firewall Rack Mounts](#) for stable mounting in 19" cabinets available separately
- ▶ Also available as a virtual, software-based firewall ([R&S®LANCOM vFirewall](#))
- ▶ Operation in a high-availability cluster (HA cluster) possible without additional costs or licenses
- ▶ Runtime-based licensing model (1, 3, 5 years, or SPLA)

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

## **Our security pledge: [next-generation security with UTM](#)**

With threats to networks constantly growing, trusted security is anything but a given. As the keystone of network security, next-generation firewalls (NGFW) combine common security mechanisms with the latest generation technologies. In the triad of security, compliance, and usability, the top priorities are effective protection of your network and maximum prevention against threats that are not yet known – this promise applies without restriction to all R&S®LANCOM Unified Firewalls, regardless whether they are [desktop](#) or [rack](#) models. All R&S®LANCOM Unified Firewalls are developed in Germany and bear the trust mark „IT Security made in Germany“.

## **Scaled to fit: firewall performance as needed**

The firewall throughput requirements of a small doctor's office differ from those of an traditional office environment. This is precisely why our desktop models are designed to meet a wide range of demands. With the help of the [comparison table](#) for the firewall portfolio, you can select the R&S®LANCOM Unified Firewall that is precisely dimensioned for your intended use and the necessary data volume.

Are you planning to grow? With the [rack models](#), you can combine maximum system performance with flexible expansion options to meet your network requirements.

## **Intuitively simple: operating concept with graphical presentation**

The digital sovereignty of smaller companies, branch offices, or retailers should not be compromised by highly complex firewall management. That is why the R&S®LANCOM Unified Firewalls offer simply secure usability. The intuitive „easy to use“ operating concept focuses on a clear, graphical presentation of your settings, thus not only minimizing potential sources of error, but also saving a lot of time for troubleshooting. In this way, the firewalls enable a stress-free working life in which you can concentrate fully on your business – without worrying about network security.

## **Ready for industry: R&S®LANCOM Unified Firewall UF-T60**

The sturdy housing of the R&S®LANCOM Unified Firewall UF-T60 can withstand harsh industrial conditions. Optimally tailored to the requirements and conditions of the industrial and manufacturing sector, the UF-T60 can be used, for example, to secure and log the remote maintenance of machines and to individually segment the machine network.

## **Convenient firewall management tools**


Two [management tools](#) are available for central management and transparent monitoring of the R&S®LANCOM Unified Firewalls: A graphical Web interface supports you with clear dashboards for the detailed configuration of your firewalls, while the R&S®LANCOM Management Cloud manages all devices, networks, and configurations in a highly automated way for cloud-managed security.

## **Tutorial videos for firewall configuration**

Despite a state-of-the-art security architecture, 99% of all security breaches are caused by misconfiguration of the devices used. To help you guard against this, our [step-by-step tutorials](#) provide you with helpful tips for setting up your R&S®LANCOM Unified Firewalls.

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

## Overview of all R&S®LANCOM Unified Firewalls (Desktop models)




R&S®LANCOM Unified Firewall	UF-T60	UF-60	UF-160	UF-260
Category	Industrial	Desktop	Desktop	Desktop
<b>Hardware properties</b>				
Ports	5x GE copper, 2x SFP	4x GE copper	4x GE copper	4x GE copper, 1x SFP
Power supply & memory redundancy	–	–	–	–
Opt. extension modules	–	–	–	–
Mounting options	DIN rail mounting	Opt. R&S®LANCOM Firewall Rack Mount UF-60 (55128)	Opt. R&S®LANCOM Firewall Rack Mount UF-160/260 (55125)	Opt. R&S®LANCOM Firewall Rack Mount UF-160/260 (55125)
<b>Max. system performance (individual measurements) *</b>				
IPS / IDS throughput HTTPS (Mbps)	1,150	700	750	1,250
Firewall throughput TCP (Mbps)	3,700	3,500	3,550	4,450
VPN throughput IPSec (Mbps)	1,200	790	1,200	1,500
Concurrent sessions	1,000,000	1,000,000	1,000,000	2,000,000
<b>Max. system performance (usage of all UTM functionalities) *</b>				
UTM throughput HTTPS (Mbps)	200	150	170	340
Recom. number of VPN tunnels	25 – 50	5 – 25	25 – 50	100 – 200
<b>Power</b>				
Input voltage (V)	12 – 36	100 – 240	100 – 240	100 – 240
Max. power consumption (W)	22.3 (redundantly designed)	40	40	40
Idle power consumption (W)	11.32 @ 12 V 12.58 @ 24 V	5.0	10.4	11.9
<b>Dimensions</b>				
W x H x D (mm)	130 x 100 x 150	232 x 44 x 115	231 x 44 x 200	231 x 44 x 200

\* All throughput rates measured bidirectionally with 1,500 bytes packet size.

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

## Overview of all R&S®LANCOM Unified Firewalls (Rack models)



R&S®LANCOM Unified Firewall	UF-360	UF-560	UF-760	UF-1060
Category	Rack	Rack	Rack	Rack / 2HE
<b>Hardware properties</b>				
Ports	6x GE copper, 2x SFP+	8x GE copper, 2x SFP+	8x GE copper, 2x SFP+	2x GE copper
Power supply & memory redundancy	–	–	Hot-swappable PSU	Hot-swappable PSU & SSDs
Opt. extension modules *	yes (1G ETH, 1G SFP, 10G SFP+)	yes (1G ETH, 1G SFP, 10G SFP+, 40G QSFP+)	yes (1G ETH, 1G SFP, 10G SFP+, 40G QSFP+)	yes, 8 slots (1G ETH, 1G SFP, 10G SFP+, 40G QSFP+, 100G QSFP28)
Mounting options	Mounting brackets	Mounting brackets and extension rails	Mounting brackets and extension rails	Mounting brackets and extension rails; (recommended rack depth min. 800 mm)
<b>Max. system performance (individual measurements) **</b>				
IPS / IDS throughput HTTPS (Mbps)	1,400	4,700	13,000	20,000
Firewall throughput TCP (Mbps)	11,600	20,000	49,830	100,000
VPN throughput IPSec (Mbps)	2,200	9,000	19,700	40,000
Concurrent sessions	4,000,000	4,000,000	16,700,000	66,800,000
<b>Max. system performance (usage of all UTM functionalities) **</b>				
UTM throughput HTTPS (Mbps)	420	1,500	3,400	12,000
Recom. number of VPN tunnels	200 – 1,000	1,000 – 3,000	1,000 – 5,000	5,000 – 10,000
<b>Power</b>				
Input voltage (V)	100 – 240	100 – 240	100 – 240	100 – 240
Max. power consumption (W)	60	250	300 (redundantly designed)	550 (redundantly designed)
Idle power consumption (W)	15.6	37.0	76.0	100
<b>Dimensions</b>				
W x H x D (mm) without mounting brackets	440 x 44 x 269	440 x 44 x 450	440 x 44 x 364	440 x 88 x 603

\* Compatible R&S®LANCOM UF Extension Modules can be found on the [product website](#).

\*\* All throughput rates measured bidirectionally with 1,500 bytes packet size.

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

Features	Basic License	Full License	Feature description
Administration	✓	✓	Object-oriented configuration Role-based administration IP-based access restriction for SSH and web client
Anti-Spam **		✓	POP3/S, SMTP/S, IMAP/S Configurable scan levels GlobalView Cloud using Recurrent Pattern Detection (RPD) – spam detection based on the e-mail distribution patterns Blacklists / whitelists Automatic e-mail rejection/deletion
Anti-Virus *		✓	HTTP/S, FTP, POP3/S, SMTP/S, IMAP/S Configurable exceptions Multi-level scanning (local and cloud-based) Sandboxing Fast classification of zero-day threats through AI technologies (machine learning)
Application Management **		✓	Layer-7 packet filter (DPI) Filter by applications (e.g. Facebook, YouTube, BitTorrent, etc.) Blacklists / whitelists Protocol validation HTTP and IEC 104 decoder R&S®PACE 2 (Protocol and Application Classification Engine)
Backup and restore	✓	✓	Local or remote access Automatic import during installation Automatic and scheduled backups Automatic upload (FTP, SCP) Disaster recovery from USB drive
Bridge mode	✓	✓	Layer-2 firewall Spanning Tree (bridge ID, port costs) Unlimited number of interfaces per bridge
Container management	via SAG Basic License	via SAG Full License	Basis for secure edge computing (isolated applications and secure data processing at the network edge) OCI (Docker) support with management of Docker containers and networks Defining firewall rules for Docker networks Persistent Docker volumes via firewall backups Retrieving Docker images from upstream registries Access container logs via REST API and events via WebSockets
Content Filter		✓	URL and content filter (incl. BPjM filter) Customizable rules for users Blacklists / whitelists Import / export of URL lists Category-based website blocking (individually definable) Online scan technology Based on HTTP(S) proxy Override function
DNS Web Filter		✓	Filter by domain and content (incl. BPjM filter) Blacklists / Whitelists Import / export domain lists Category-based blocking of websites (individually configurable) Online scanning technology Based on DNS
Dynamic routing	✓	✓	Exterior BGP Internal BGP Announced routes configurable
HA (High Availability)	✓	✓	A second Unified Firewall of the same type is required Stateful failover Active/passive (hot standby) Failover even in the event of interface failure
IDS (Intrusion Detection System) / IPS (Intrusion Prevention System) *		✓	Protection from DoS, port scans, malware, botnets, exploits, and vulnerabilities More than 40,000 active signatures Configurable exceptions Scans all interfaces

\* Not available for R&S®LANCOM Unified Firewall UF-50

\*\* Not available for R&S®LANCOM Unified Firewall UF-50 and UF-100

# R&S® LANCOM UNIFIED FIREWALLS DESKTOP MODELS

Features	Basic License	Full License	Feature description
IPSec	✓	✓	Full-tunnel mode Policy-based or route-based IPSec IKEv1 (deprecated, upgrade to v2 strongly recommended), IKEv2 PSK (pre-shared key) / certificates DPD (Dead Peer Detection) NAT-T XAUTH, EAP Download portal for client configuration packages Can be used as a complete R&S®LANCOM Trusted Access Gateway
LAN-/WAN support	✓	✓	Ethernet 10 / 100 / 1,000 / 10,000 / 40,000 Mbps Configurable MTU (Ethernet/DSL) Link aggregation xDSL by PPPoE support Multi-WAN (weighted policy-based routing/failover) Load balancing Time restrictions for Internet connections Multiple, dynamic DNS support DHCP client for WAN DHCP server for LAN DMZ SNAT
Monitoring & statistics	✓	✓	Statistics (IDS/IPS, application control, surf control, antivirus/antispam) Logging to external syslog servers Export as CSV and XLS files SNMP/v2c and v3 Connection tracking Exportable executive report (PDF, HTML, CSV) Delivery of the Executive Report via e-mail Dashboard Hardware Monitoring
Packet filter	✓	✓	Stateful filter Rule objects based on source IP, source interface, DNS name, users / groups, VPN Rule connection based on protocol, source- and destination port
Proxies	HTTP VoIP	✓	FTP/S, POP3/S, SMTP/S, IMAP/S HTTP/S transparent HTTP/S non-transparent (supports AD / local users) Reverse Proxy (supports SAML / AD / local users) Time-controlled
SSL-VPN	✓	✓	Routing mode VPN Bridging mode VPN TCP/UDP Specification of WINS and DNS servers
Static routing	✓	✓	Freely configurable Multiple gateways configurable Policy-based routing based on input interface, source IP, output interface, destination IP
Traffic Shaping	✓	✓	Priority min. / max. bandwidth definable per traffic group (Quality of Service) Traffic grouping based on source application / destination / port / DSCP Different Traffic Shaping profiles selectable per WAN connection
User administration (local)	✓	✓	Active Directory import (LDAP / Kerberos) SSO via Kerberos SAML authentication (Keycloak / MS Entra ID) Browser- or client-based registration Simultaneous multi-sessions Captive Portal Terminal server support (via Remote Desktop IP virtualization)
VLAN	✓	✓	4,096 VLANs per interface 802.1q header tagging (packet-based tagged VLANs) Compatible with bridging
VPN	✓	✓	User authentication High availability Site-to-site and client-to-site Client configuration packages

# R&S® LANCOM UNIFIED FIREWALLS DESKTOP MODELS

Features	Basic License	Full License	Feature description
WAN support (IPv6)	✓	✓	Ethernet 10 / 100 / 1,000 / 10,000 / 40,000 Mbps Customizable MTU (Ethernet / DSL) Link Aggregation xDSL by PPPoE support GPON (UF-260 only) Multi WAN (weighted policy-based routing / failover) Time restrictions for Internet connections Support for both multiple and dynamic DNS servers DHCP client for WAN IPSec tunnel (IPv6 gateway addresses) Reverse Proxy
Web interface	✓	✓	Self-explanatory functions Convenient wizard for initial setup Overview of the entire network Overview of all active services Browser-based, platform-independent View filtering based on custom tags Clear, visual rule inheritance
Wireguard	✓	✓	Quick and easy to configure Site-to-site, choice between 2 Unified Firewalls or Unified Firewall and third-party products Client-to-site with Windows, Linux, Android, iOS State-of-the-art cryptography protocols
X.509 certificates	✓	✓	Support of certificates based on RSA / Elliptic Curves CRL (Certificate Revocation List) Multi-CA support Multi-host certificate support Certificate templates import / export via PEM / PKCS12 / DER

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

Hardware Appliances		Item no.
R&S®LANCOM Unified Firewall UF-60	Next-generation UTM firewall, 4x GE, UF-60 Basic License or Full License mandatory for operation	55002
R&S®LANCOM Unified Firewall UF-T60	Next-generation UTM firewall, 6x GE, 2x SFP, UF-T60 Basic License or Full License mandatory for operation	55004
R&S®LANCOM Unified Firewall UF-160	Next-generation UTM firewall, 4x GE, UF-1XX Basic License or Full License mandatory for operation	55012
R&S®LANCOM Unified Firewall UF-260	Next-generation UTM firewall, 4x GE, 1x SFP, UF-2XX Basic License or Full License mandatory for operation	55024
Support		item no.
Warranty extension	Free warranty extension up to 3 years (replacement service for defects)  For more details, visit <a href="http://www.lancom-systems.com/rma">www.lancom-systems.com/rma</a> . The service and support conditions valid as of July 1, 2026, available at <a href="https://rs-nc.rohde-schwarz.com/fileadmin/pdf/LCS/ServiceSupportConditions/Rohde-Schwarz-Networks-and-Cybersecurity-GmbH-Service-and-Support-Conditions-20260701.pdf">https://rs-nc.rohde-schwarz.com/fileadmin/pdf/LCS/ServiceSupportConditions/Rohde-Schwarz-Networks-and-Cybersecurity-GmbH-Service-and-Support-Conditions-20260701.pdf</a> , apply.	
Firmware releases	Regular free updates including new features & security updates as part of the Rohde & Schwarz Networks and Cybersecurity Lifecycle Management (depending on the license validity, see <a href="http://www.lancom-systems.com/lifecycle">www.lancom-systems.com/lifecycle</a> )	
Information on the EU Data Act	For details on product data and data on connected services, please refer to <a href="http://www.lancom-systems.com/eu-data-act">www.lancom-systems.com/eu-data-act</a>	
Manufacturer support	Available with R&S®NC products such as Support Access (for R&S®NC Community Partners only), Direct, or Premium	
Declarations of Conformity	You will find all the Declarations of Conformity concerning our product portfolio under <a href="http://www.lancom-systems.com/doc">www.lancom-systems.com/doc</a> . These documents contain all the tested standards and required guidelines in the area of EMC - SAFETY - RF, as well as the proof of the guidelines concerning RoHS & REACH.	
R&S®NC Support Basic	Security updates until EOL (min. 5 years) and 5 years replacement service with shipment of the replacement device within 5 days after arrival of the defective device (8/5/5Days)  <a href="http://www.lancom-systems.com/products/services-support/lancaire/lancaire-basic">www.lancom-systems.com/products/services-support/lancaire/lancaire-basic</a>	
	R&S®NC Support Basic S for UF-60, UF-160, UF-260	10720
	R&S®NC Support Basic M for UF-T60	10721
R&S®NC Support Advanced	Security updates until EOL (min. 5 years) and 5 years NBD advance replacement with delivery of the replacement device within one business day (8/5/NBD)  <a href="http://www.lancom-systems.com/products/services-support/lancaire/lancaire-advanced">www.lancom-systems.com/products/services-support/lancaire/lancaire-advanced</a>	
	R&S®NC Support Advanced S for UF-60, UF-160, UF-260	10730
	R&S®NC Support Advanced M for UF-T60	10731
R&S®NC Support Direct 10/5	Direct, prioritized 10/5 manufacturer support and security updates for the device, guaranteed first response times (SLA) of max. 2 hours for reporting massive operational disruptions by telephone (priority 1) and max. 4 hours for all other concerns (priority 2), term-based for 1, 3, or 5 years  <a href="http://www.lancom-systems.com/products/services-support/lancaire/lancaire-direct-10-5">www.lancom-systems.com/products/services-support/lancaire/lancaire-direct-10-5</a>	
	R&S®NC Support Direct 10/5 S for UF-60, UF-160, UF-260	
	1 year	10740
	3 years	10741
	5 years	10742
	R&S®NC Support Direct 10/5 M for UF-T60	
	1 year	10743
	3 years	10744
	5 years	10745

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

R&S®NC Support Direct 24/7	<p>Direct, prioritized 10/5 manufacturer support incl. 24/7 emergency hotline and security updates for the device, guaranteed first response times (SLA) of max. 30 minutes for reporting massive operational disruptions by telephone (priority 1) and max. 4 hours for all other concerns (priority 2), term-based for 1, 3, or 5 years</p> <p><a href="http://www.lancom-systems.com/products/services-support/lancom-direct-24-7">www.lancom-systems.com/products/services-support/lancom-direct-24-7</a></p> <p>R&amp;S®NC Support Direct 24/7 S for UF-60, UF-160, UF-260 1 year 3 years 5 years</p> <p>R&amp;S®NC Support Direct 24/7 M for UF-T60 1 year 3 years 5 years</p>	<p>10752 10753 10754</p> <p>10755 10756 10757</p>
R&S®NC Support Direct Advanced 10/5	<p>Direct, prioritized 10/5 manufacturer support and security updates for the device, NBD advance replacement with delivery of the device on the next business day (10/5/NBD), guaranteed first response times (SLA) of max. 2 hours for reporting massive operational disruptions by telephone (priority 1) and max. 4 hours for all other concerns (priority 2), term-based for 1, 3, or 5 years</p> <p><a href="http://www.lancom-systems.com/products/services-support/lancom-direct-advanced-10-5">www.lancom-systems.com/products/services-support/lancom-direct-advanced-10-5</a></p> <p>R&amp;S®NC Support Direct Advanced 10/5 S for UF-60, UF-160, UF-260 1 year 3 years 5 years</p> <p>R&amp;S®NC Support Direct Advanced 10/5 M for UF-T60 1 year 3 years 5 years</p>	<p>10764 10765 10766</p> <p>10767 10768 10769</p>
R&S®NC Support Direct Advanced 24/7	<p>Direct, prioritized 10/5 manufacturer support incl. 24/7 emergency hotline and security updates for the device, NBD advance replacement with delivery of the device on the next business day (24/7/NBD), guaranteed first response times (SLA) of max. 30 minutes for reporting massive operational disruptions by telephone (priority 1) and max. 4 hours for all other concerns (priority 2), term-based for 1, 3, or 5 years</p> <p><a href="http://www.lancom-systems.com/products/services-support/lancom-direct-advanced-24-7">www.lancom-systems.com/products/services-support/lancom-direct-advanced-24-7</a></p> <p>R&amp;S®NC Support Direct Advanced 24/7 S for UF-60, UF-160, UF-260 1 year 3 years 5 years</p> <p>R&amp;S®NC Support Direct Advanced 24/7 M for UF-T60 1 year 3 years 5 years</p>	<p>10776 10777 10778</p> <p>10779 10780 10781</p>
<b>Accessories *</b>		<b>Item no.</b>
R&S®LANCOM UF Rack Mount UF-60	<p>Mounting material for UF-60 for installation in a 19" rack, occupies one height unit</p> <p><a href="http://www.lancom-systems.com/products/software-accessories/accessories/lancom-firewall-rack-mounts">www.lancom-systems.com/products/software-accessories/accessories/lancom-firewall-rack-mounts</a></p>	55128
R&S®LANCOM Firewall Rack Mount UF-100/200	<p>Mounting material for UF-100/200 for installation in a 19" rack, occupies one height unit</p> <p><a href="http://www.lancom-systems.com/products/software-accessories/accessories/lancom-firewall-rack-mounts">www.lancom-systems.com/products/software-accessories/accessories/lancom-firewall-rack-mounts</a></p>	55120
R&S®LANCOM UF Rack Mount UF-160/260	<p>Mounting material for UF-160/260 for installation in a 19" rack, occupies one height unit</p> <p><a href="http://www.lancom-systems.com/products/software-accessories/accessories/lancom-firewall-rack-mounts">www.lancom-systems.com/products/software-accessories/accessories/lancom-firewall-rack-mounts</a></p>	55125
R&S®LANCOM Transceiver Modules	<p>An overview of the R&amp;S®LANCOM Transceiver Modules compatible with the R&amp;S®LANCOM Unified Firewalls can be found under <a href="http://www.lancom-systems.com/products/software-accessories/accessories/lancom-transceiver-modules">www.lancom-systems.com/products/software-accessories/accessories/lancom-transceiver-modules</a></p>	
R&S®LANCOM DAC Cables	<p>An overview of the R&amp;S®LANCOM DAC Cables compatible with the R&amp;S®LANCOM Unified Firewalls can be found under <a href="http://www.lancom-systems.com/products/software-accessories/accessories/lancom-direct-attach-cable">www.lancom-systems.com/products/software-accessories/accessories/lancom-direct-attach-cable</a></p>	

\* Please note that support service for third-party accessories is excluded.

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

Licenses R&S®LANCOM Management Cloud	
License category B, C	<p>R&amp;S®LANCOM Management Cloud license for the management &amp; monitoring of a category B or C device. Specification of the R&amp;S®LMC project ID and project information needed, incl. updates.</p> <p>Device assignment: <a href="http://www.lancom-systems.com/products/network-management/lancom-management-cloud/lmc-licenses">www.lancom-systems.com/products/network-management/lancom-management-cloud/lmc-licenses</a></p>

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

## Licenses (Basic)

You can check the current license status at any time in the Web GUI of your firewall in the "Licenses" section! Please note that once a license has expired, configuration changes are no longer possible and the entitlement to support and software updates no longer applies.

**R&S®LANCOM licenses UF Basic** for activating basic firewall functionalities (up to layer 4), incl. VPN and user mgmt., incl. updates.

Runtime 1 year	Item no.	Runtime 3 years	Item no.	Runtime 5 years	Item no.
R&S®LANCOM UF-60-1Y Basic License (1 Year)	55132	R&S®LANCOM UF-60-3Y Basic License (3 Years)	55133	R&S®LANCOM UF-60-5Y Basic License (5 Years)	55134
R&S®LANCOM UF-T60-1Y Basic License (1 Year)	55267	R&S®LANCOM UF-T60-3Y Basic License (3 Years)	55268	R&S®LANCOM UF-T60-5Y Basic License (5 Years)	55269
R&S®LANCOM UF-160-1Y Basic License (1 Year)	55141	R&S®LANCOM UF-160-3Y Basic License (3 Years)	55142	R&S®LANCOM UF-160-5Y Basic License (5 Years)	55143
R&S®LANCOM UF-260-1Y Basic License (1 Year)	55210	R&S®LANCOM UF-260-3Y Basic License (3 Years)	55211	R&S®LANCOM UF-260-5Y Basic License (5 Years)	55212

**R&S®LANCOM licenses UF Basic (SPLA)** for activating basic firewall functionalities (up to layer 4), incl. VPN and user mgmt., incl. updates.  
Licensing via SPLA is only possible with a separate SPLA contract between Rohde & Schwarz Networks and Cybersecurity and its customer.

Runtime 1 month	Item no.
R&S®LANCOM UF-60 Basic License (SPLA)	55239
R&S®LANCOM UF-T60 Basic License (SPLA)	55240
R&S®LANCOM UF-160 Basic License (SPLA)	55241
R&S®LANCOM UF-260 Basic License (SPLA)	55242

**R&S®LANCOM licenses UF SAG Basic** for activating basic firewall functionalities (up to layer 4), incl. VPN and user mgmt., and OCI container support, incl. updates.

Runtime 1 year	Item no.	Runtime 3 years	Item no.	Runtime 5 years	Item no.
R&S®LANCOM UF-60-SAG-1Y Basic License (1 Year)	55223	R&S®LANCOM UF-60-SAG-3Y Basic License (3 Years)	55224	R&S®LANCOM UF-60-SAG-5Y Basic License (5 Years)	55225
R&S®LANCOM UF-T60-SAG-1Y Basic License (1 Year)	55299	R&S®LANCOM UF-T60-SAG-3Y Basic License (3 Years)	55300	R&S®LANCOM UF-T60-SAG-5Y Basic License (5 Years)	55301
R&S®LANCOM UF-160-SAG-1Y Basic License (1 Year)	55252	R&S®LANCOM UF-160-SAG-3Y Basic License (3 Years)	55253	R&S®LANCOM UF-160-SAG-5Y Basic License (5 Years)	55254
R&S®LANCOM UF-260-SAG-1Y Basic License (1 Year)	55229	R&S®LANCOM UF-260-SAG-3Y Basic License (3 Years)	55230	R&S®LANCOM UF-260-SAG-5Y Basic License (5 Years)	55231

**R&S®LANCOM licenses UF SAG Basic (SPLA)** for activating basic firewall functionalities (up to layer 4), incl. VPN and user mgmt., and OCI container support, incl. updates.  
Licensing via SPLA is only possible with a separate SPLA contract between Rohde & Schwarz Networks and Cybersecurity and its customer.

Runtime 1 month	Item no.
R&S®LANCOM UF-60-SAG Basic License (SPLA)	55281
R&S®LANCOM UF-T60-SAG Basic License (SPLA)	55305
R&S®LANCOM UF-160-SAG Basic License (SPLA)	55283
R&S®LANCOM UF-260-SAG Basic License (SPLA)	55285

# R&S®LANCOM UNIFIED FIREWALLS DESKTOP MODELS

## Licenses (Full)

You can check the current license status at any time in the Web GUI of your firewall in the "Licenses" section! Please note that once a license has expired, configuration changes are no longer possible and the entitlement to support and software updates no longer applies.

**R&S®LANCOM licenses UF Full** for activating UTM- and firewall functionalities, sandboxing, machine learning, AV/Malware Protection, SSL Insp., incl. DPI and IDS/IPS, incl. updates

Runtime 1 year	Item no.	Runtime 3 years	Item no.	Runtime 5 years	Item no.
R&S®LANCOM UF-60-1Y Full License (1 Year)	55077	R&S®LANCOM UF-60-3Y Full License (3 Years)	55078	R&S®LANCOM UF-60-5Y Full License (5 Years)	55079
R&S®LANCOM UF-T60-1Y Full License (1 Year)	55162	R&S®LANCOM UF-T60-3Y Full License (3 Years)	55163	R&S®LANCOM UF-T60-5Y Full License (5 Years)	55164
R&S®LANCOM UF-160-1Y Full License (1 Year)	55101	R&S®LANCOM UF-160-3Y Full License (3 Years)	55102	R&S®LANCOM UF-160-5Y Full License (5 Years)	55103
R&S®LANCOM UF-260-1Y Full License (1 Year)	55104	R&S®LANCOM UF-260-3Y Full License (3 Years)	55105	R&S®LANCOM UF-260-5Y Full License (5 Years)	55106

**R&S®LANCOM licenses UF Full (SPLA)** for activating UTM- and firewall functionalities, sandboxing, machine learning, AV/Malware Protection, SSL Insp., incl. DPI and IDS/IPS, incl. updates.

Licensing via SPLA is only possible with a separate SPLA contract between Rohde & Schwarz Networks and Cybersecurity and its customer.

Runtime 1 month	Item no.
R&S®LANCOM UF-60 Full License (SPLA)	55243
R&S®LANCOM UF-T60 Full License (SPLA)	55244
R&S®LANCOM UF-160 Full License (SPLA)	55245
R&S®LANCOM UF-260 Full License (SPLA)	55246

**R&S®LANCOM licenses UF SAG Full** for activating UTM- and firewall functionalities, sandboxing, machine learning, AV/Malware Protection, SSL Insp., incl. DPI and IDS/IPS, and OCI container support, incl. updates

Runtime 1 year	Item no.	Runtime 3 years	Item no.	Runtime 5 years	Item no.
R&S®LANCOM UF-60-SAG-1Y Full License (1 Year)	55226	R&S®LANCOM UF-60-SAG-3Y Full License (3 Years)	55227	R&S®LANCOM UF-60-SAG-5Y Full License (5 Years)	55228
R&S®LANCOM UF-T60-SAG-1Y Full License (1 Year)	55302	R&S®LANCOM UF-T60-SAG-3Y Full License (3 Years)	55303	R&S®LANCOM UF-T60-SAG-5Y Full License (5 Years)	55304
R&S®LANCOM UF-160-SAG-1Y Full License (1 Year)	55255	R&S®LANCOM UF-160-SAG-3Y Full License (3 Years)	55256	R&S®LANCOM UF-160-SAG-5Y Full License (5 Years)	55257
R&S®LANCOM UF-260-SAG-1Y Full License (1 Year)	55232	R&S®LANCOM UF-260-SAG-3Y Full License (3 Years)	55233	R&S®LANCOM UF-260-SAG-5Y Full License (5 Years)	55234

**R&S®LANCOM licenses UF SAG Full (SPLA)** for activating UTM- and firewall functionalities, sandboxing, machine learning, AV/Malware Protection, SSL Insp., incl. DPI and IDS/IPS, and OCI container support, incl. updates.

Licensing via SPLA is only possible with a separate SPLA contract between Rohde & Schwarz Networks and Cybersecurity and its customer.

Runtime 1 month	Item no.
R&S®LANCOM UF-60-SAG Full License (SPLA)	55282
R&S®LANCOM UF-T60-SAG Full License (SPLA)	55306
R&S®LANCOM UF-160-SAG Full License (SPLA)	55284
R&S®LANCOM UF-260-SAG Full License (SPLA)	55286

# R&S® LANCOM UNIFIED FIREWALLS DESKTOP MODELS

Rohde & Schwarz Networks and Cybersecurity GmbH

Adenauerstr. 20/B2

52146 Wuersele | Germany

[info.rs-nc@rohde-schwarz.com](mailto:info.rs-nc@rohde-schwarz.com) | [www.rohde-schwarz.com/networks-and-cybersecurity](http://www.rohde-schwarz.com/networks-and-cybersecurity)

R&S and Rohde & Schwarz are trademarks of Rohde & Schwarz GmbH & Co. KG, registered or used, among others, in Germany, the EU, the USA, China, and other countries. Other names or designations used may be registered trademarks of different companies or owners. This document contains forward-looking statements regarding products and product features. The publisher reserves the right to change these at any time without stating reasons. No liability is accepted for technical inaccuracies or omissions. 06/2026

**ROHDE & SCHWARZ**

Make ideas real

